



The Easy Grease Concept

Advanced flow technologies





We are experts in advanced flow technology

Hove A/S is a privately held global company with the headquarter located in Copenhagen, the capital of Denmark.

We are specialists in developing and designing high-end products and complete solutions within advanced flow technology.

We always strive towards excellence, and the key words which we live by are innovation, sustainability and ingenuity.

Our highly skilled and talented employees ensure, that our specialized products and solutions meet and exceed the various industrie high expectations and

demands for excellence, through a close cooperation with the R&D departments of our global customers.

Our in house R & D department and production department are capable of handling everything from smaller productions to large-scale industrial needs.

Whatever your need could be within advanced flow technology - Hove A/S is your preferred innovative partner, both in regards to development and production.

Advanced and compact lubrication



Our Easy Grease Concept consists of automatic transportable lubrication pumps, transportable flow distribution systems and special designed large cartridges.

The lubrication pumps are mounted in heavy duty suitcases for maximum protection. The suitcases are designed for tough handling and are waterproof, which will also protect the lubrication pumps when used offshore.

Though the easy greasing concept originally was designed for the wind turbine industry, it has been found to be of value to all industries where lubricant greases are used, eg. mining, oil and gas, cement.



Using Hove Easy Grease Concept will provide the following benefits:

- Less downtime during maintenance – field tests have shown a decrease in time spend on lubricating of minimum 50 %.
- Assurance of accurate lubrication – fully automatic high technology used within our systems.
- Less contamination risk – fully closed circuit, from cartridge to connection/ greasing point.
- Lower costs on lubricants – larger amounts = lower prices.
- Less muscular stress among technicians – no manual operation required.

Lubricate easier than ever...

Hove Easy Grease Carry is a fully transportable battery operated lubrication pump for direct filling of central lubrication systems and lubrication of bearings, slewing rings and many other applications where correct lubrication is important and electrical power is difficult to get.



Fully transportable through either carrying harness or build in wheel set.



The built in touch screen and the Hove control system makes the setup of the pump and operation extremely easy.



Battery operated - no cables necessary.



Hove Easy Grease

Hove Easy Grease is a transportable, automatic greasing pump for direct lubrication of bearings and refilling of grease/lubricant in central lubrication systems.



Direct lubrication of a bearing using combination of Easy Grease and hoseset.



Hove Refiller

Hove Refiller is a transportable pump for refilling of grease/lubricant in central lubrication systems.

Hove Refiller is operated manually, direct from the pump or by means of a remote control.



Refilling of central lubrication system reservoir using Hove Refiller.

Easy Grease Accessories

Hove Cartridge

The Hove Cartridges come in three sizes, 1500, 3000 and 5000 ml. They can be delivered with either full amount, or with the specific amount needed. The Hove Cartridges can be filled with all types of grease found on the market.

The filling of the Hove Cartridge takes place in our own facility under strict procedure and with a high cleanliness policy to ensure no contamination.

Easy to mount

It is very simple to mount and remove the cartridge, which, when emptied, only takes up 5 % of the total capacity. The Hove Cartridge can be supplied with any type of grease from any preferred manufacturer directly from our own filling facility.



Hove Hose Set

Effectively dividing the flow of grease from the Easy Grease to the various greasing points on the bearings. Hove A/S customizes the hose set after your specifications.

The flowdivider we use is a tooth wheel based model with the highest accuracy in outlet volume.



Hove Barrel Dosing Station



The Hove Barrel Dosing Station is a unique PLC controlled pump, which is designed for dosing any pumpable material.

The pump station can be delivered to fit any type and size of barrel or drum, and with any required pressure and flow volume required for maximum performance.

The Hove Barrel Dosing Station is designed in stainless steel and high end components in all electrical and mechanical parts.





Distributor



GWA Supplies Limited

The Brookfield Building
Brookfield Industrial Estate
Banbridge, Co. Down
BT32 3AP United Kingdom
UK +44 28 40628734 • DE +49 6265 9275000
info@gwasupplies.com • www.gwasupplies.com



Hove A/S
Herstedøstervej 7
DK-2600 Glostrup
Denmark

Phone: +45 70 22 10 22
Fax.: +45 70 22 10 82
E-mail: hove@hove-as.dk
Web: www.hove-as.dk